



Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:08 AM	
2 Copy to Inbods		File Folder	2/2/2009 9:54 AM	
3 Application	14,978 KB	Application	7/10/2008 12:24 AM	A
4 P4p.msi	4,327 KB	Windows Installer P...	8/31/2008 11:54 AM	A
5 Config.txt	19,803 KB	Text Document	3/15/2008 5:15 PM	A
6 MySQL Connector.msi	1 KB	Text Document	1/24/2009 10:32 AM	A
7 adac.txt	17,253 KB	Windows Installer P...	1/17/2007 6:09 PM	A
8 adac.txt	4,139 KB	Windows Installer P...	2/28/2008 11:03 AM	A
9 adac.txt	1 KB	Text Document	1/27/2009 10:42 AM	A
10 adac.txt	22 KB	Microsoft Office Wo...	2/2/2009 10:22 AM	A
11 adac.txt	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA

Name	Size	Type	Date Modified	Attributes
Client		File Folder	2/2/2009 10:08 AM	
Document		File Folder	2/2/2009 10:08 AM	
Hamster Drivers		File Folder	2/2/2009 10:08 AM	
Server		File Folder	2/2/2009 10:08 AM	
Autoun.inf	1 KB	Setup Information	1/28/2008 8:51 AM	RA
Setup.exe	224 KB	Application	4/14/2006 5:41 PM	A

UIRDI Access Server St.2 Installation

Select install program on your computer

- Access Server
- Remote Access Manager





VIRDI Access Server St.2 Setup

VIRDI Access Server St.2

VIRDI Access Server St.2 Setup

Choose Destination Location
Select folder where Setup will install files:

Setup will install VIRDI Access Server St.2 in the following folder.
To install to this folder, click Next. To install to a different folder, click Browse and select another folder.

Destination Folder
C:\Program Files\ACS\Server

InstallShield

< Back Next > Cancel

Taskbar: Start, Manage Your Server, C:\DataCOM Setup Files, VIRDI Access Server, 10:24 AM

VIRDI Access Server St.2 Setup

VIRDI Access Server St.2

VIRDI Access Server St.2 Setup

Setup Type
Choose the setup type that best suits your needs:

Select your language

- English
- Korean
- Japanese
- Chinese (Traditional)

InstallShield

< Back Next > Cancel

Taskbar: Start, Manage Your Server, C:\DataCOM Setup Files, VIRDI Access Server, 10:29 AM





VIRDI Access Server St.2 Setup

VIRDI Access Server St.2

Windows Security Alert

To help protect your computer, Windows Firewall has blocked some features of this program.

Do you want to keep blocking this program?

Name: Access Server Application
Publisher: Unknown

For more information about blocking and unblocking a program, see the [Microsoft Web site](#).

Windows Security Alert

EV:\DataCOM Setup Files

Name	Size	Type	Date Modified
1 Client		File Folder	2/2/2009 10:06 AM
1 Server		File Folder	2/2/2009 10:28 AM
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM
->DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM
->WFL0001.tmp	22 KB	Temp File	2/2/2009 10:22 AM
2 Java.exe	14,978 KB	Application	
3 Apache.msi	4,327 KB	Windows Installer P...	
4 PHP.msi	19,803 KB	Windows Installer P...	
5 Config.txt	1 KB	Text Document	
7 MySQL.msi	17,263 KB	Windows Installer P...	
8 MySQL Connector.msi	4,138 KB	Windows Installer P...	
9 subca.txt	1 KB	Text Document	
DataCOM Setup Files.doc	227 KB	Microsoft Office Wo...	

Address: C:\DataCOM Setup Files

Welcome to Java™

Java will make your Internet experience richer. Whether you are playing games or music, getting email on your mobile phone, checking out a new online store, learning about the news, or anything in between, Java can make it better.

As part of the installation and update process, some non-personal information is sent to Sun to help improve the Java experience. For more details, including how to disable this transfer, see <http://java.com/data>

Change destination folder

Java Setup - Welcome





Apache HTTP Server 2.2.3 - Installation Wizard

Welcome to the Installation Wizard for Apache HTTP Server 2.2.3

The Installation Wizard will install Apache HTTP Server 2.2.3 on your computer. To continue, click Next.

WARNING: This program is protected by copyright law and international treaties.

< Back Next > Cancel

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
16 Com to Inboxes		File Folder	2/2/2009 9:54 AM	
16 DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
16 -wsl0001.tmp	22 KB	TMP File	2/2/2009 10:22 AM	N
16 Java.exe	14,978 KB	Application		
16 apache.msi	4,327 KB	Windows Installer P...		
16 php.msi	19,803 KB	Windows Installer P...		
16 Config.txt	1 KB	Text Document		
16 MySQL.msi	17,253 KB	Windows Installer P...		
16 MySQL Connector.msi	4,189 KB	Windows Installer P...		
16 odbcc.txt	1 KB	Text Document		
16 DataCOM Setup Files.doc	227 KB	Microsoft Office Wo...		

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

I accept the terms in the license agreement.
 I do not accept the terms in the license agreement.

Installed

< Back Next > Cancel





DataCOM Setup Files.doc [Compatibility Mode] - Microsoft Word

Home Insert Page Layout References Mailings Review View

Calibri 11 A A Copy Paste Format Painter Clipboard

Find Replace Select Editing

Change Styles

AaBbCcT Subtitle

AaBbC Heading 2

AaBbC Heading 1

No Spac... Title

Paragraph

Apache HTTP Server 2.2 - Installation Wizard

Server Information

Please enter your server's information.

Network Domain (e.g., somenot.com) localhost

Server Name (e.g., www.somenot.com) localhost

Administrator's Email Address (e.g., webmaster@somenot.com): admin@localhost

Install Apache HTTP Server 2.2 programs and shortcuts for:

For all Users, on Port 80, as a Service -- Recommended.

Only for the Current User, on Port 8080, when started Manually.

Unblock Ask Me Later

Pages: 4 of 4 | Words: 0 | C:\DataCOM Setup Files do... | Apache HTTP Server...

DataCOM Setup Files.doc [Compatibility Mode] - Microsoft Word

Home Insert Page Layout References Mailings Review View

Calibri 11 A A Copy Paste Format Painter Clipboard

Find Replace Select Editing

Change Styles

AaBbCcT Subtitle

AaBbC Heading 2

AaBbC Heading 1

No Spac... Title

Paragraph

Windows Security Alert

To help protect your computer, Windows Firewall has blocked some features of this program.

Do you want to keep blocking this program?

Apache HTTP Server

Publisher: Apache Software Foundation

Unblock Ask Me Later

Keep Blocking

For more information about blocking and unblocking a program, see the Microsoft Web site.

Pages: 4 of 5 | Words: 0 | C:\DataCOM Setup Files do... | Windows Security Alert



File Name | **Size** | **Type** | **Date Modified** | **Attributes**

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Com to Inboxes		File Folder	2/2/2009 9:54 AM	
DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
-w6r0001.tmp	22 KB	Temp File	2/2/2009 10:23 AM	H
2 Java.exe	14,978 KB	Application		
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
6 MySQL.msi	17,253 KB	Windows Installer P...		
7 MySQL Connector.msi	4,139 KB	Windows Installer P...		
8 odbcc.txt	1 KB	Text Document		
9 odbcc.txt	728 KB	Microsoft Office Wo...		

PHP 5.2.5 Setup

Welcome to the PHP 5.2.5 Setup Wizard

The Setup Wizard will install PHP 5.2.5 on your computer. Click Next to continue or Cancel to exit the Setup Wizard. Please disable any virus detection software you may have running during the installation.

Back Next Cancel

PHP 5.2.5 Setup

Destination Folder

Click Next to install to the default folder or click Browse to choose another.




Install PHP 5.2.5 to:



C:\Program Files\PHP



Browse...

Back Next Cancel











File Explorer window showing the contents of the file `5 Config.txt`. The file content is as follows:

```
zend_extensions_dir = C:\Program Files\Apache Software Foundation\Apache2.2\htdocs\Noncube_loader-win-5.2.dll  
zend_extensions_dir = javascr:pt>window.location.href = window.location.href + "welcome to DataCOM/body"></html>
```

File Explorer window showing the contents of the file `5 Config.txt`. The file content is as follows:

```
zend_extensions_dir = C:\Program Files\Apache Software Foundation\Apache2.2\htdocs\Noncube_loader-win-5.2.dll  
zend_extensions_dir = javascr:pt>window.location.href = window.location.href + "welcome to DataCOM/body"></html>
```

A Windows Start menu is overlaid on the screen, showing the following options:

- Manage Your Server
- Windows Explorer
- Windows Update
- Accessories
- Startup
- Internet Explorer
- Outlook Express
- Remote Assistance
- Symantec Client Security
- WinRAR
- Adobe Reader 7.0
- Microsoft Office
- V1.2.1 NetView Software
- Administrative Tools
- Apache HTTP Server 2.2.3
- PHP 5
- VRPD Access Server Sk.2
- License
- Log Off
- Shut Down





php.ini - Notepad

```
[PHP]
; About php.ini
; This file controls many aspects of PHP's behavior.  In order for PHP
; to read this file, it must be named 'php.ini'.  PHP looks for it in the current
; working directory, in the path designated by the environment variable
; PHP_C, and in the path that was defined in compile time (in that order).
; PHP_C and the path that was defined in compile time (in that order)
; point in which the php.ini file is looked for.  Whitespace is allowed
; in the -c argument in command line mode.

; The syntax of the file is extremely simple.  Whitespace and Lines
; beginning with a semicolon (;) are ignored, even if they appear at the
; beginning of the line.  Lines with only a semicolon (;) on them are also
; ignored, even if they appear at the beginning of the line.  Comments
; they might mean something in the future.

; Directives are specified using the following syntax:
; Directive names are "case sensitive" - foo-bar is different from FOO-BAR
; The value can be a string, a number, a PHP constant (e.g. E_ALL or M_J
; of the ini constants (ON, OFF, TRUE, FALSE, YES, NO, and NONE) or an
; integer (e.g. E_ALL & -E_NOTICE), or a quoted string ("foo").
```

DataCOM Setup Files.doc [Compatibility Model] - Microsoft Word

```
...trref="virdt/login.php">Welcome to DataCOM\body></html>
```

php.ini - Notepad

Pages: 11 of 11 Words: 0

5 Config.txt - Notepad

```
[tidy]
; The path to a default tidy configuration file to use when using tidy
: tidy.default_config = /usr/local/lib/php/default.tidy
; Should tidy clean and repair output automatically?
: WARNING: Do not use this option if you are generating non-html content
; such as dynamic images
tidy.clean_output = OFF

[soap]
; Enables or disables WSDL caching feature.
: soap.wsdl_cache_enabled = 1
; Location of the WSDL cache file, where soap extension will put cache files.
: soap.wsdl_cache_dir = /tmp
; (time to live) Sets the number of second while cached file will be used
; instead of original one.
: soap.wsdl_cache_ttl = 86400

; Local variables:
: tab-width: 4
: End:
[extension=php_mysql.dll]
[extension=php_mysqli.dll]
zend_extension_ts = c:\Program Files\Apache Software Foundation\Apache2.2\htdocs\oncube\loader_loader_win_5.2.dll

</html>>body onload="javascript:window.location.href="virdt/login.php">Welcome to DataCOM\body></html>
```

DataCOM Setup Files.doc [Compatibility Model] - Microsoft Word

5 Config.txt - Notepad

Pages: 12 of 12 Words: 0





The screenshot shows a Notepad window with the following PHP code:

```
function decode($url,$code,$motorola = UCS-2BE)
{
    $url = decode($url,$code,$motorola);
    $url = encode($url,$code,$motorola);
    $url = decode($url,$code,$motorola);
    $url = encode($url,$code,$motorola);
}

function tidy($url)
{
    $url = tidy($url);
}

function soap($url)
{
    $url = soap($url);
}

function zend($url)
{
    $url = zend($url);
}

function local($url)
{
    $url = local($url);
}

function php($url)
{
    $url = php($url);
}

function extension($url)
{
    $url = extension($url);
}

zend_extension_ts = C:\Program Files\Apache Software Foundation\Apache2.2\htdocs\ioncube\loader_wfn_5.2.dll
```


A warning dialog box is displayed with the text: "The text in the C:\Program Files\PHP\php.ini file has changed. Do you want to save the changes?" with Yes, No, and Cancel buttons.

The screenshot shows a Notepad window with the following PHP code:

```
zend_extension_ts = C:\Program Files\Apache Software Foundation\Apache2.2\htdocs\ioncube\loader_wfn_5.2.dll
```

A warning dialog box is displayed with the text: "The text in the C:\Program Files\PHP\php.ini file has changed. Do you want to save the changes?" with Yes, No, and Cancel buttons.







The screenshot shows a Notepad window with a warning dialog box. The dialog box text reads: "The text in the C:\Program Files\Apache Software Foundation\Apache2.2\htdocs\index.html file has changed. Do you want to save the changes?" with Yes, No, and Cancel buttons. The Notepad window contains the following code snippet:


```
<html >body onload="javascript:window.location.href='virdf/login.php'" save come to datacom</body></html>
```

The screenshot shows a Windows Explorer window displaying a file list for 'C:\DataCOM Setup Files\6 Copy to htdocs'. The file list includes:

Name	Size	Type	Date Modified	Attributes
db		File Folder	2/2/2009 9:54 AM	A
oncube		File Folder	2/2/2009 9:54 AM	
wp		File Folder	2/2/2009 9:52 AM	

A context menu is open over the 'db' folder, showing options such as Open, Explore, Search, Open as Notebook in OneNote, Add to archive, Add to '6 Copy to htdocs.rar', Compress and email, Segd To, Cut, Copy, Create Shortcut, Delete, Rename, and Properties.





Address: C:\DataCOM Setup Files\6 Copy to htdocs

Name	Size	Type	Date Modified	Attributes	Date Picture Taken	Dimensions
apache_jb22.gif	3 KB	GIF Image	12/14/2005 10:25 AM	A		259 X 32
apache_jb22.png	2 KB	PNG Image	12/14/2005 10:25 AM	A		259 X 32
apache_jb22_ani.gif	3 KB	GIF Image	12/14/2005 10:25 AM	A		259 X 32
apache_jb6.gif	3 KB	GIF Image	11/20/2004 2:16 PM	A		259 X 32
apache_jb6.png	2 KB	PNG Image	11/20/2004 2:16 PM	A		259 X 32
Index.html	1 KB	HTML Document	2/2/2009 10:45 AM	A		

Context Menu Items:
View
Arrange Icons By
Refresh
Customize This Folder...
Paste
Paste Shortcut
Undo Move
Groove Folder Synchronization
New
Properties

Address: C:\DataCOM Setup Files\6 Copy to htdocs

Name	Size	Type	Date Modified	Attributes	Date Picture Taken	Dimensions
lib		File Folder	2/2/2009 10:46 AM	A		
noncube		File Folder	2/2/2009 10:46 AM	A		
vrtdl		File Folder	2/2/2009 10:46 AM	A		
apache_jb22.gif	3 KB	GIF Image	12/14/2005 10:25 AM	A		259 X 32
apache_jb22.png	2 KB	PNG Image	12/14/2005 10:25 AM	A		259 X 32
apache_jb6.gif	3 KB	GIF Image	11/20/2004 2:16 PM	A		259 X 32
apache_jb6.png	2 KB	PNG Image	11/20/2004 2:16 PM	A		259 X 32
Index.html	1 KB	HTML Document	2/2/2009 10:45 AM	A		

Context Menu Items:
View
Arrange Icons By
Refresh
Customize This Folder...
Paste
Paste Shortcut
Undo Move
Groove Folder Synchronization
New
Properties



Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc		File Folder	2/2/2009 9:54 AM	
--WFL0001.tmp	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
2 Java.exe	22 KB	TMF File	2/2/2009 10:22 AM	H
3 Apache.msi	14,978 KB	Application		
4 PHP.msi	4,327 KB	Windows Installer P...		
5 Config.txt	19,803 KB	Windows Installer P...		
6 MySQL.msi	17,253 KB	Windows Installer P...		
7 MySQL Connector.msi	4,139 KB	Windows Installer P...		
8 odbcc.txt	1 KB	Text Document		
9 odbcc.txt	2,583 KB	Microsoft Office Wo...		

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc		File Folder	2/2/2009 9:54 AM	
--WFL0001.tmp	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
2 Java.exe	22 KB	TMF File	2/2/2009 10:22 AM	H
3 Apache.msi	14,978 KB	Application		
4 PHP.msi	4,327 KB	Windows Installer P...		
5 Config.txt	19,803 KB	Windows Installer P...		
6 MySQL.msi	17,253 KB	Windows Installer P...		
7 MySQL Connector.msi	4,139 KB	Windows Installer P...		
8 odbcc.txt	1 KB	Text Document		
9 odbcc.txt	2,583 KB	Microsoft Office Wo...		



Windows Explorer window showing the contents of the 'C:\DataCOM Setup Files' directory. A 'MySQL Server 5.0 - Setup Wizard' dialog box is overlaid on the window.

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
--WRL0001.tmp	22 KB	TEMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application		
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL.msi	17,253 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 odbcc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	2,583 KB	Microsoft Office Wo...		

MySQL Server 5.0 - Setup Wizard

Ready to Install the Program

The wizard is ready to begin installation.

If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.

Current Settings:

Setup Type: Complete

Destination Folder: C:\Program Files\MySQL\MySQL Server 5.0\

< Back Install Cancel

Windows Explorer window showing the contents of the 'C:\DataCOM Setup Files' directory. A 'MySQL.com Sign-Up' dialog box is overlaid on the window.

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
--WRL0001.tmp	22 KB	TEMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application		
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL.msi	17,253 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 odbcc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	2,583 KB	Microsoft Office Wo...		

MySQL.com Sign-Up

MySQL.com Sign-Up

Login or create a new MySQL.com account.

Please log in or select the option to create a new account.

Create a new free MySQL.com account

If you do not yet have a MySQL.com account, select this option and complete the following three steps.

Login to MySQL.com

Select this option if you already have a MySQL.com account. Please specify your login information below.



Email address:



Password:



Skip Sign-Up



Next > Cancel
















MySQL Server Instance Configuration Wizard

MySQL Server Instance Configuration

Configure the MySQL Server 5.0 server instance.


Please set the security options.

Modify Security Settings

 New root password: Enter the root password.
Confirm: Retype the password.

Enable root access from remote machines

Create An Anonymous Account

 This option will create an anonymous account on this server. Please note that this can lead to an insecure system.

< Back Next > Cancel

MySQL Server Instance Configuration Wizard

MySQL Server Instance Configuration

Configure the MySQL Server 5.0 server instance.

Ready to execute ...

- Prepare configuration
- Write configuration file
- Start service
- Apply security settings

Please press [Execute] to start the configuration.

< Back Execute Cancel



Local Area Connection Status

General Support

Connection


Status: Connected
Duration: 00:38:38
Speed: 100.0 Mbps

Activity

Packets:	
Sent	6,295
Received	4,959

Properties Disable

Close



The image shows a Windows XP-style dialog box titled "Local Area Connection Properties". It has a blue title bar with a question mark icon and a close button. The dialog is divided into two tabs: "General" (selected) and "Authentication".

General Tab:

- Connect using:** A dropdown menu showing "Generic Marvell Yukon Chipset base" with a "Configure..." button to its right.
- This connection uses the following items:** A list of four items, each with a checked checkbox:
 - Client for Microsoft Networks
 - File and Printer Sharing for Microsoft Networks
 - QoS Packet Scheduler
 - Internet Protocol (TCP/IP)
- Buttons:** "Install...", "Uninstall", and "Properties" buttons are located below the list.
- Description:** A text box containing the text: "Allows your computer to access resources on a Microsoft network."
- Checkboxes:** Two checked checkboxes at the bottom:
 - Show icon in notification area when connected
 - Notify me when this connection has limited or no connectivity
- Buttons:** "OK" and "Cancel" buttons are at the bottom right.



Local Area Connection Properties

General Authentication Advanced

Select this option to provide authenticated network access for Ethernet networks.


Enable IEEE 802.1x authentication for this network


EAP type: Smart Card or other Certificate Properties

Authenticate as computer when computer information is available

Authenticate as guest when user or computer information is unavailable

OK Cancel





The screenshot shows the Windows Firewall control panel window. The title bar reads 'Windows Firewall'. There are two tabs: 'General' (selected) and 'Exceptions'. A blue header bar states 'Windows Firewall is helping to protect your PC'. Below this, a green shield icon with a checkmark is next to the text: 'Windows Firewall helps protect your computer by preventing unauthorized users from gaining access to your computer through the Internet or a network.' The 'On (recommended)' option is selected with a radio button. Below it, a green shield icon with a checkmark is next to the text: 'This setting blocks all outside sources from connecting to this computer, with the exception of those selected on the Exceptions tab.' The 'Don't allow exceptions' checkbox is unchecked. Below this, a red shield icon with an 'X' is next to the text: 'Off (not recommended)'. Below that, a green shield icon with a checkmark is next to the text: 'Avoid using this setting. Turning off Windows Firewall may make this computer more vulnerable to viruses and intruders.' At the bottom, there is a link: 'What else should I know about Windows Firewall?'. On the right side, there are 'OK' and 'Cancel' buttons.

MySQL Server Instance Configuration Wizard

MySQL Server Instance Configuration


Configure the MySQL Server 5.0 server instance.

Processing configuration ...

- Prepare configuration
- Write configuration file (C:\program Files\MySQL\MySQL Server 5.0\my.ini)
- Start service
- Apply security settings

**Configuration file created.
Windows service MySQL installed.
Service started successfully.
Security settings applied.**

Press [Finish] to close the wizard.



The screenshot shows a Windows Explorer window displaying the contents of the 'C:\DataCOM Setup Files' directory. Overlaid on this is the 'MySQL Connector/ODBC 5.1 - Setup Wizard' dialog box. The wizard is currently on the 'Setup Type' screen, which asks the user to choose the setup type that best suits their needs. There are three radio button options: 'Typical', 'Complete', and 'Custom'. The 'Complete' option is selected. Below the radio buttons, there is explanatory text: 'Common program features will be installed. Recommended for general use.' for 'Typical', 'All program features will be installed. (Requires the most disk space.)' for 'Complete', and 'Choose which program features you want installed and where they will be installed. Recommended for advanced users.' for 'Custom'. Navigation buttons '< Back', 'Next >', and 'Cancel' are visible at the bottom of the wizard dialog.


Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to htdocs		File Folder	2/2/2009 9:54 AM	HA
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	H
-WRK001.tmp	22 KB	TEMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application		
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL.msi	17,253 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 odbcc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	2,933 KB	Microsoft Office Wo...		



Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc		File Folder	2/2/2009 9:54 AM	HA
--WFL0001.tmp	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	H
2 Java.exe	22 KB	TEMP File	2/2/2009 10:22 AM	H
3 Apache.msi	14,978 KB	Application		
4 PHP.msi	4,327 KB	Windows Installer P...		
5 Config.txt	19,803 KB	Windows Installer P...		
7 MySQL.msi	1 KB	Text Document		
8 MySQL Connector.msi	17,263 KB	Windows Installer P...		
9 odbcc.txt	4,139 KB	Windows Installer P...		
DataCOM Setup Files.doc	1 KB	Text Document		
DataCOM Setup Files.doc	2,933 KB	Microsoft Office Wo...		

Wizard Completed

Setup has finished installing MySQL Connector/ODBC 5.1. Click Finish to exit the wizard.



File Name Size Type Date Modified Attributes

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
16 Com to Inbocs		File Folder	2/2/2009 9:54 AM	
18 Java.exe		File		
19 apache.ini		File		
194 P4r.msi		File		
15 Config.txt		File		
197 MySQL Conne...		File		
198 MySQL Conne...		File		
9 odbcc.txt		File		
DataCOM Setup		File Folder		

Address C:\DataCOM Setup Files

9 odbcc.txt - Notepad

Open = Control Pane] -- Administrative Tools -- Datasource ODBC -- System DSN
Delete ACCESS and ACESSTEMP

Add New

[Type: MySQL drive 5.1]
[Name: ACCESS]
[Server: Server-IP-Address or LOCALHOST]
[Database: ACCESS]

Add New

[Type: MySQL drive 5.1]
[Name: ACESSTEMP]
[Server: Server-IP-Address or LOCALHOST]
[Database: ACESSTEMP]

Administrator

- Windows Catalog
- Windows Update
- Accessories
- Startup
- Internet Explorer
- Outlook Express
- Remote Assistance
- Symantec Client Security
- WinRAR
- Adobe Reader 7.0
- Microsoft Office
- Windows Update
- V1.2.1 NetView
- WinRAR
- Apache HTTP Server 2.2.3
- PHP 5
- VPROI Access Server Sk-2
- MySQL

Log Off Shut Down

11:06 AM





Windows Explorer window showing the contents of the C:\DataCOM Setup Files directory. The file list includes:

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
16 Copy to htdocs		File Folder	2/2/2009 9:54 AM	
DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
-w6r0001.tmp	22 KB	TMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application	7/10/2008 12:24 AM	A
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
6 MySQL.msi	17,253 KB	Windows Installer P...		
7 MySQL Connector.msi	4,139 KB	Windows Installer P...		
8 odbcc.txt	1 KB	Text Document		
9 odbcc.txt	3,405 KB	Microsoft Office Wo...		

The ODBC Data Source Administrator dialog box is open, showing the 'System DSN' tab. The list of System Data Sources includes:

Name	Driver
ACCESS	Microsoft Access Driver (*.mdb)
AccessTemp	Microsoft Access Driver (*.mdb)

The dialog box also contains a text box with the following text: "An ODBC System data source stores information about how to connect to the indicated data provider. A System data source is visible to all users on this machine, including NT services." Buttons for 'Add...', 'Remove', and 'Configure...' are visible at the bottom right of the dialog box.

Microsoft Word window showing a document titled 'DataCOM Setup Files.doc'. The document content is mostly blank. A dialog box titled 'ODBC Administrator' is open, displaying a confirmation message: "Are you sure you want to remove the ACCESS data source?" with 'Yes' and 'No' buttons. The dialog box also contains a text box with the following text: "An ODBC System data source stores information about how to connect to the indicated data provider. A System data source is visible to all users on this machine, including NT services." Buttons for 'OK', 'Cancel', 'Apply', and 'Help' are visible at the bottom of the dialog box.



Windows Explorer window showing the contents of 'C:\DataCOM Setup Files'. The file list includes various setup files and documents. An 'ODBC Administrator' dialog box is open, displaying the 'System DSN' tab. A secondary dialog box asks 'Are you sure you want to remove the AccessTemp data source?' with 'Yes' and 'No' buttons.

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
-WRL0001.tmp	22 KB	TMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application	7/10/2008 12:24 AM	A
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL.msi	17,253 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 odbcc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	3,405 KB	Microsoft Office Wo...		

Windows Explorer window showing the contents of 'C:\DataCOM Setup Files'. An 'ODBC Administrator' dialog box is open, displaying the 'System DSN' tab. A 'Create New Data Source' dialog box is open, showing a list of drivers to select from. The 'Microsoft ODBC 3.1 Driver' is selected.

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Inboxes		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
-WRL0001.tmp	22 KB	TMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application	7/10/2008 12:24 AM	A
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL.msi	17,253 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 odbcc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	3,405 KB	Microsoft Office Wo...		



MySQL Connector/ODBC
MySQL Connector/ODBC Data Source Configuration

Connection Parameters

Data Source Name: Access

Description: Access

Server: localhost Port: 3306

User: Password: Database: Access

Test

An ODBC System data source stores information about how to connect to the indicated data provider. A System data source is visible to all users on this machine, including NT services.

Microsoft Word - DataCOM Setup Files.doc (Compatibility Mode)

Create New Data Source

Select a driver for which you want to set up a data source.

Name	Version
Microsoft ODBC for Oracle	2
Microsoft Access Driver (db)	4
Microsoft Access Driver (mdb)	4
Microsoft Text Driver (txt, csv)	4
Microsoft Text Treiber (*.txt, *.csv)	4
Microsoft Visual FoxPro Driver	1
Microsoft Visual FoxPro Treiber	1
Microsoft SQL Server	2

System Data Sources:


User DSN System DSN File DSN Drivers Tracing Connection Pooling About

Name: 4a8bccc0 Driver: Microsoft Visual FoxPro Driver

Access MySQL ODBC 5.1 Driver

Finish





Microsoft Word - DataCOM Setup Files.doc [Compatibility Mode]

MySQL Connector/ODBC Data Source Configuration

Connection Parameters

Data Source Name: AccessTemp

Description:

Server: localhost Port: 3306

User:

Password:

Database: AccessTemp

Test

OK Cancel Help

An ODBC System data source stores information about how to connect to the indicated data provider. A System data source is visible to all users on this machine, including NT services.

Pages: 25 of 25 Words: 0

C:\DataCOM Setup Files do... Microsoft ODBC Admi...

Windows Explorer - C:\DataCOM Setup Files

Name	Size	Type	Date Modified	Attributes
1 Client		File Folder	2/2/2009 10:08 AM	
1 Server		File Folder	2/2/2009 10:28 AM	
6 Copy to Indocs		File Folder	2/2/2009 9:54 AM	
-DataCOM Setup Files.doc	1 KB	Microsoft Office Wo...	2/2/2009 10:23 AM	HA
-WRL0001.tmp	22 KB	TEMP File	2/2/2009 10:22 AM	H
2 Java.exe	14,978 KB	Application	7/10/2008 12:24 AM	A
3 Apache.msi	4,327 KB	Windows Installer P...		
4 PHP.msi	19,803 KB	Windows Installer P...		
5 Config.txt	1 KB	Text Document		
7 MySQL Connector.msi	17,263 KB	Windows Installer P...		
8 MySQL Connector.msi	4,139 KB	Windows Installer P...		
9 subdoc.txt	1 KB	Text Document		
DataCOM Setup Files.doc	3,724 KB	Microsoft Office Wo...		

System Data Sources:

Name	Driver
Access	MySQL ODBC 5.1 Driver
AccessTemp	MySQL ODBC 5.1 Driver

OK Cancel Apply Help

An ODBC System data source stores information about how to connect to the indicated data provider. A System data source is visible to all users on this machine, including NT services.





Windows Explorer window showing a directory listing of files and folders. The address bar shows the path: E:\My Documents\CN Software\WindDataCOM\Wind Setup Files\6 Copy to Indos\Wind\.

File and Folder Tasks:

- Rename this file
- Move this file
- Copy this file
- Publish this file to the Web
- Email this file
- Print this file
- Delete this file

Other Places:

- 6 Copy to Indos
- My Documents
- Shared Documents
- My Computer
- My Network Places

Details:

VersionUpdate.bat
 MS-DOS Batch File
 Date Modified: 20 January, 2009, 13:59
 Size: 162 bytes

File List:

- UserManagement.php
- Location.php
- LocationSync.bat
- LocationSync.php
- ProjectMaster.php
- ISConfig.php
- ExecuteScript.php
- Login.php
- Register.php
- VeelMaster.php
- UpdateEmployeeInfo.php
- ShiftMaster.php
- SetupMySQL.php
- Welcome.php
- AlterTimeChild.php
- DayMaster.php
- OTDay/Date.php
- ReportProcessLog.php
- ReportShiftRotation.php
- ReportUserTransact.php
- StackLog.php
- Help.php
- AssignUserDept.php
- AssignUserDiv.php
- OTEmployeeEvent.php
- FlagDay.php
- EmployeeChild.php
- EmployeeMaster.php
- DeleteProcessRecord.php
- AssignTerminal.php
- AssignShift.php
- AssignProject.php
- ApproveOverTimeSummary.php
- AlterTime.php
- ReportWork.php
- ReportWeeklyClosing.php
- ReportProject.php
- ReportNight.php
- OtherSetting.php
- OTVigilate.php
- VersionInfo.php
- PreApproveOverTime.php
- Material-Repair.php
- Material-2-Repair.php
- ReportProject.php
- ReportNight.php
- ReportForBreak.php
- ReportEmployee.php
- ReportDeleteProcessRecord.php
- ReportDailyClosing.php
- ReportClothingLog.php
- ReportAlterTime.php
- ReportAttendance.php
- ReportExitTerminalError.php
- ReportUserDiv.php
- config.php
- MailClass.inc
- SendMail.php
- MailAttendance.php
- Proxy.php
- ReportEarlyExit.php
- ReportLateArrival.php
- MailEarlyExit.php
- MailLateArrival.php
- ReportAbsence.php
- MailAbsence.php
- ReportOtdLog.php
- MailOtdLog.php
- ReportMonthlyHours.php
- ReportShiftSnapshot.php
- OTDay.php
- MailOtdLog.bat
- MailAbsence.bat
- MailEarlyExit.bat
- MailAttendance.bat
- MailLateArrival.bat
- Functions.php
- VersionUpdate.php
- ReportAttendanceSnapshot.php
- ReportApprove.php
- ReportMonthlyAttendance.php
- OTEmployeeEventOTDay.php